



Portsmouth EM Site Specific  
Advisory Board

**SUBCOMMITTEE CHAIR**

RICHARD SNYDER

**SUBCOMMITTEE VICE CHAIR**

CONNIE YEAGER

**BOARD CHAIR**

WILLIAM E. HENDERSON II

**BOARD VICE CHAIR**

VAL E. FRANCIS

**SUBCOMMITTEE MEMBERS**

SHIRLEY A. BANDY

AL DON CISCO

FRANK H. HALSTEAD

BRIAN F. HUBER

DAN MINTER

**DOE DEPUTY DESIGNATED**

**FEDERAL OFFICIAL**

JOEL BRADBURNE

**DOE FEDERAL COORDINATOR**

GREG SIMONTON

**SUPPORT SERVICES**

EHI CONSULTANTS

PHONE: 740-289-5249

FAX: 740-289-1578

EMAIL: JULIE@PORTS-SSAB.ORG

## WASTE DISPOSITION AND RECYCLING SUBCOMMITTEE

TUESDAY, JANUARY 15, 2013 @ 4:00 P.M.

**THE PURPOSE OF THIS MEETING IS TO PROVIDE AN UPDATE TO THE SSAB SUBCOMMITTEE ON ACTIVITIES RELATED TO RECYCLING AND OTHER ASPECTS OF THE DOE-SODI ASSET TRANSITION PROGRAM IN ORDER TO PREPARE THE SUBCOMMITTEE TO PRODUCE A WASTE DISPOSITION RECOMMENDATION PRIOR TO THE WASTE DISPOSITION ROD**

### AGENDA

- REVIEW OF THE DECEMBER MEETING
- SUSPENSION DETAILS – DAN THIEL, FBP
- DISCUSSION

ADJOURN



## WASTE DISPOSITION & RECYCLING SUBCOMMITTEE

MEETING SUMMARY

JANUARY 15, 2013 • 4:00 P.M.

THE OHIO STATE UNIVERSITY ENDEAVOR CENTER  
1862 SHYVILLE ROAD, PIKETON, OH 45661

**SSAB Subcommittee Members Present:** Richard Snyder, subcommittee chair; Al Don Cisco, Frank Halstead, Brian Huber, Dan Minter

**SSAB Subcommittee Members Absent:** Connie Yeager, subcommittee vice chair; Shirley Bandy

**Other SSAB Members Present:** Will Henderson, Board Chair; Gene Brushart, Carl Hartley

**U.S. Department of Energy (DOE) and contractors:** Greg Simonton, Johnny Reising, DOE; Rick Greene, Restoration Services, Inc. (RSI); Karen Price, Pete Mingus, Jeff Wagner, Daniel Thiel, Fluor-B&W Portsmouth (FBP)

**Liaisons:** Maria Galanti, Ohio Environmental Protection Agency (EPA); Mike Rudadue, Ohio Department of Health (ODH)

**Support Staff:** Eric Roberts, Julie Galloway, Cindy Lewis, EHI Consultants (EHI)

**Public:** Steve Shepherd, Southern Ohio Diversification Initiative (SODI)

*Snyder* opened the meeting.

### 1. Review of the December meeting:

| <b>Question/Comment:</b>  | <b>Answer:</b>   |
|---|--|
| <b>Snyder:</b> When is the (Record of Decision) ROD due?  | <b>Galanti:</b> DOE's draft schedule for the ROD is due to us in October, but since EPA does not have the Remedial Investigation/Feasibility Study (RI/FS), I am not sure if it will be done by October.<br><br><b>Reising:</b> The RI/FS will be turned in to EPA late January or early February. |
| <b>Galanti:</b> If the subcommittee is interested, I can have a HydroGeologist, David Hunt, present at the meeting next month. What | <b>Snyder:</b> The subcommittee is interested in all the information it can get. Any information is good information.  |

|   |   |
|---|---|
| <p>would you like him to present?</p> <p>EPA will be receiving several documents one after the other. If the board wants to give input, they will need to be prepared. Please use EPA as a source of information. Just let me know if we can help. The decisions on dealing with consolidation of the current landfills will be made by 2014.</p> | <p><b>Halstead:</b> All knowledge is power. I have a concern with the hillside, the one with the plume by the burials. It seems like there is leakage there.</p> <p><b>Huber:</b> A general overview of the whole site and more detail of site D.</p> |
|---|---|

**2. Suspension Details-Dan Thiel, FBP**

Radiological Clearance of DOE Real and Personal Property

- Release from DOE Control
- Governing Documents
- Multi-Agency Radiation Survey and Site Investigation Manual (MARSSIM)
- Multi-Agency Radiation Survey and Assessment of Materials and Equipment (MARSAME)
- Procedures
- FBP-RP-PRO-00004, Release of Items and Equipment from DOE Control
- DOE Metals Recycling Suspension
- FBP-RP-PRO-00004, Release of Items and Equipment from DOE Control
- UE-5 Request for Release of Equipment/Material From DOE Control Part 1
- FBP-RP-PRO-00004, Release of Items and Equipment from DOE Control
- UE-5 Request for Release of Equipment/Material From DOE Control Part II
- Surveys in Support of Release of Items of Equipment
- FBP-RP-PRO-00004, Release of Items and Equipment from DOE Control
- FBP-RP-PRO-00128, Release of Land, Buildings, and Bulk Materials from DOE Control
- Survey and Release Plans (SRPs)

| <b>Question/Comment:</b>  | <b>Answer:</b>   |
|---|--|
| <p><b>Snyder:</b> When SODI accepts materials from DOE, does it receive a copy of the release form?</p>               | <p><b>Thiel:</b> Yes, SODI does receive a trail of every item they receive from DOE.</p> |
| <p>Does DOE or FBP have a booth at the DOE public meetings? Does the public know what you are doing at the plant?</p> | <p>FBP can add that information at a booth or add another booth.</p>                     |

|  |  |
|--|--|
| <b>Rudadue:</b> Does DOE or FBP have a release program for bulk items? | <b>Thiel:</b> Yes, there is a release program for buildings, vault material. We have to have a release form for each item. |
| <b>Cisco:</b> There has to be checks and balances.                     |  |

### 3. Discussion

| <b>Question/Comment:</b>  | <b>Answer:</b>   |
|---|--|
| <b>Henderson:</b> The subcommittee needs to write an addendum to Recommendation 12-03 to change no transuranics to acceptable levels of transuranics. | <b>Mingus:</b> FBP does a basic check on all the SODI boxes and trucks coming on the site and again when they leave to check that no contaminants are coming in or going off plant site. |
| <b>Snyder:</b> The subcommittee requested that Christie Gelles from Washington present to our subcommittee. Where are we on that?                     | <b>Roberts:</b> EHI has made that request through headquarters, but we will have to check on that.   |

**Snyder:** Meeting adjourned

Next meeting: Tuesday, February 12, 2013

#### Action Items:

- EHI to check with headquarters on the status of Christie Gelles presenting to the subcommittee
- EHI to E-mail Snyder Recommendation 12-03 and briefings from JD Chiou

# **Radiological Clearance of DOE Real and Personal Property**

**January 15, 2013**

## Release from DOE Control

- Release of Property – The removal of property from DOE control for the purpose of reuse, recycling, or disposal

- 10 CFR 835 *Occupational Radiation Protection*
  - Defines Radiation Protection Programs for DOE sites
- DOE Order 458.1, *Radiation Protection of the Public and the Environment*
  - In general DOE O 458.1 provides a detailed explanation of DOE expectations for control and clearance of property

- *Multi-Agency Radiation Survey and Site Investigation Manual (MARSSIM)*
- *Multi-Agency Radiation Survey and Assessment of Materials and Equipment (MARSAME)*

- A multi-agency committee representing the
  - U.S. Department of Defense (DOD),
  - U.S. Department of Energy (DOE),
  - U.S. Environmental Protection Agency (EPA),
  - U.S. Nuclear Regulatory Commission (NRC)produced a guidance document known as the [Multi-Agency Radiation Survey and Site Investigation Manual \(MARSSIM\)](#).
- MARSSIM provides detailed guidance how to demonstrate compliance for release of property. MARSSIM focuses on the demonstration of compliance during the final status survey once scoping, characterization and any necessary remedial actions are completed.

## **MARSAME**

- (MARSAME) is a supplement to the *Multi-Agency Radiation Survey and Site Investigation Manual (MARSSIM)* providing information on planning, conducting, evaluating, and documenting radiological disposition surveys for the assessment of materials and equipment.
- MARSAME is a multi-agency consensus document that was developed collaboratively by four Federal agencies having authority and control over radioactive materials:
  - Department of Defense (DOD)
  - Department of Energy (DOE)
  - Environmental Protection Agency (EPA)
  - Nuclear Regulatory Commission (NRC)
- The objective of MARSAME is to provide a multi-agency approach for planning, performing, and assessing disposition surveys of materials and equipment, while at the same time encouraging an effective use of resources.

## Procedures

- Based on the requirements and criteria of these governing documents, site procedures are developed to document and control the release of property from DOE control.
  - **FBP-RP-PRO-00004**, *Release of Items and Equipment from DOE Control*
  - **FBP-RP-PRO-00128**, *Release of Land, Buildings, and Bulk Materials from DOE Control*

## **FBP-RP-PRO-00004, *Release of Items and Equipment from DOE Control***

- This procedure defines the process for the clearance of personal property from Fluor-B&W Portsmouth LLC (FBP) and the Department of Energy (DOE) control, and ensures that the subsequent Release of such property complies with the requirements of DOE Order 458.1, and the DOE metals recycling suspension requirements.

## DOE Metals Recycling Suspension

- On January 12, 2000 the Secretary of Energy issued a moratorium on the Department's release of metals pending a decision by the Nuclear Regulatory Commission (NRC) whether to establish national standards.
- A July 13th memorandum also suspended the unrestricted release for recycling of metal from radiological areas within DOE facilities.

**FBP-RP-PRO-00004, *Release of Items and Equipment from DOE Control***

- Property Custodian or Project Lead assembles required supporting documents/records and completes Part I of form FBP-RP-PRO-00004-F01, UE-5 Request for Release of Equipment/Material From DOE Control for property/material to be released.

# UE-5 REQUEST FOR RELEASE OF EQUIPMENT/MATERIAL FROM DOE CONTROL Part I



## UE-5 REQUEST FOR RELEASE OF EQUIPMENT/MATERIAL FROM DOE CONTROL

Log # FBP-UE5-

|  |   |
|--|---|
| <b>PART I. To be completed by Requestor</b>  |   |
| <b>A. Description of equipment/material</b><br><i>(include make/model, serial #, property #, and/or other unique identifying numbers; attach list if necessary)</i>  |   |
|  |   |
| <b>B.1. Describe how and where equipment/material was used, and its history while on site.</b><br><i>(Bldg/area/rooms, radiological areas, projects, etc. where the equipment/material was used and associated dates and time of use if known. Attach list if necessary.)</i>  |   |
|  |   |
| Current location: _____  |   |
| <b>B.2. Are there any gaps or unaccounted for periods in the use and history described above?</b> <input type="checkbox"/> Yes <input type="checkbox"/> No   |   |
| <b>B.3. Specific history questions.</b>  |   |
| <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown  | Was the property used to handle radioactive material and/or had radioactive material pass through it?                             |
| <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown  | Has the property been in a Contamination Area, High Contamination Area, Airborne Radioactivity Area or a Soil Contamination Area? |
| Explanation for any boxes marked Yes:  |   |
|  |   |
| <i>If any question in B.3 above was marked "Yes" or "Unknown", then the equipment/material must be prepared for a radiological survey. Consult with RP to ensure what necessary conditions must exist and check the box below indicating the equipment/material is ready for a radiological survey. Continue completing Part I of this form.</i> |   |
| <input type="checkbox"/>   | Equipment/material is free from paint, lacquer, or other recoating/refinishing that was applied during its history on site.       |
| <input type="checkbox"/>   | Equipment/material surfaces are free from all oil, grease, dirt, and any film that may prevent proper surveying.                  |
| <input type="checkbox"/>   | Equipment/material was disassembled to allow access to all surfaces where contamination may be present.                           |
| <b>C. Intended Disposition</b>   |   |
| <input type="checkbox"/> Return to Vendor <input type="checkbox"/> Re-use <input type="checkbox"/> Recycle <input type="checkbox"/> Disposal <input type="checkbox"/> Other:   |   |
| Recipient (name, company, address):  |   |
|  |   |
| <b>E. Requestor Information</b>  |   |
|  |   |
| (phone) _____  | (print name) _____  |
| (signature) _____  | (date) _____  |
| All property released from DOE control must be evaluated for radioactive contamination and cleared by Radiation Protection.  |   |

## ***FBP-RP-PRO-00004, Release of Items and Equipment from DOE Control***

- A Radiological Engineer Prepares Part II of form FBP-RP-PRO-00004-F01, UE-5 Request for Release of Equipment/Material From DOE Control.
  - If necessary, collects radiological survey records and applicable related information to support review.
  - Reviews process knowledge or historical records to determine if the property to be released from DOE control potentially contains residual radioactive material.
  - Evaluates data/records sufficiently to demonstrate compliance with release criteria and documents results once the requested surveys are complete.
  - Prepares survey and release plans as necessary.
  - Verifies that property to be released is in compliance with the memorandum on the suspension on recycling of metals from radiological areas.

# UE-5 REQUEST FOR RELEASE OF EQUIPMENT/MATERIAL FROM DOE CONTROL Part II

| UE-5 REQUEST FOR RELEASE OF EQUIPMENT/MATERIAL FROM DOE CONTROL   |  | Log # FBP- UE5-                                       |   |
|---|--|---|---|
| <b>PART II. RADIOLOGICAL EVALUATION (to be completed by Radiological Engineer)</b>  |  |   |   |
| <b>A. RER – Radiological Engineering Review (check only one)</b>  |  |   |   |
| <input type="checkbox"/>  | The provided property description, history, and process knowledge are judged sufficient to demonstrate that the property does not contain residual radioactive material.<br>No additional RER action is required; radiological clearance may be authorized.  |   |   |
| <input type="checkbox"/>  | The provided property description, history, process knowledge, and existing radiological monitoring/ survey records are judged sufficient to demonstrate that the property does not contain residual radioactive material.<br>No additional RER action is required; radiological clearance may be authorized.  |   |   |
| <input type="checkbox"/>  | The provided property description, history, process knowledge, and existing radiological monitoring/ survey records may be sufficient to assure that the property does not contain residual radioactive material. However, additional radiological surveys are requested before property may be radiologically cleared.  |   |   |
| <input type="checkbox"/>  | The provided property description, history, process knowledge, and existing radiological monitoring/ survey records are NOT judged sufficient to demonstrate that the property does not contain residual radioactive material.<br>Additional radiological monitoring/surveys as specified below <input type="checkbox"/> or in the attached sampling plan <input type="checkbox"/> are required. |   |   |
| <small>(phone/ext.)</small>   | <small>(print name RE requesting additional surveys)</small>   | <small>(signature)</small>                            | <small>(date)</small>   |
| <input type="checkbox"/> No additional surveys requested; signature not required.   |  |   |   |
| <b>B. Radiological Evaluation Summary</b>   |  |   |   |
| Yes <input type="checkbox"/>  | No <input type="checkbox"/>  | Appropriate approved Authorized Release Limits exist. | <input type="checkbox"/> FBP-PP-PRO-00004   |
|   |  |   | <input type="checkbox"/> Other: _____   |
| Yes <input type="checkbox"/>  | No <input type="checkbox"/>  | n/a <input type="checkbox"/>                          | Radiological survey results:  |
| <input type="checkbox"/>  | <input type="checkbox"/>   | <input type="checkbox"/>                              | were not necessary based on process knowledge.  |
| <input type="checkbox"/>  | <input type="checkbox"/>   | <input type="checkbox"/>                              | are not distinguishable from background.  |
| <input type="checkbox"/>  | <input type="checkbox"/>   | <input type="checkbox"/>                              | are less than the applicable Authorized Release Limits.   |
| <input type="checkbox"/>  | <input type="checkbox"/>   | <input type="checkbox"/>                              | include measurements that are >80% of the applicable Authorized Release Limits but less than the Authorized Release Limits (RPPM / RPM authorization required). |
| <b>C. Metal recycling suspension/moratorium evaluation</b>  |  |   |   |
| Yes <input type="checkbox"/>  | No <input type="checkbox"/>  | n/a <input type="checkbox"/>                          | The property may be recycled.   |
| Recycling disposition explanation:  |  |   |   |
| Evaluation results/comments:<br><input type="checkbox"/> report attached (Report # _____)                                   |  |   | Survey #'s <input type="checkbox"/> list attached   |
| <b>D. DOE PPO concurrence <input type="checkbox"/> attached <input type="checkbox"/> n/a</b>                                |  |   |   |
| <b>E. Radiological Clearance Authorization</b>  |  |   |   |
| <small>(phone)</small>  | <small>Rad. Eng. (print name)</small>  | <small>(signature)</small>                            | <small>(date)</small>   |
| <input type="checkbox"/> n/a RPM/RPPM approval required if contamination levels 80% to 100% of Authorized Release Limit(s). |  |   |   |
| <small>(phone)</small>  | <small>RPM / RPPM (print name)</small>   | <small>(signature)</small>                            | <small>(date)</small>   |

# Surveys in Support of Release of Items of Equipment

- If there is some doubt or question as to whether the provided process knowledge and previous radiological survey documents are adequate to support a determination that the property does not contain residual radioactive contamination:
  - Contact the RCT supervisor to have a radiological survey performed.
  - Surveys will be performed for removable contamination and total (fixed + removable) contamination.
  - Surface Contamination Values for Radiological Clearance of Property for Subsequent Release are:
    - Removable 1,000 dpm/100 cm<sup>2</sup>
    - Total 5,000 dpm/100cm<sup>2</sup>
  - Radiological engineer will verify survey results are  $\leq 80\%$  of these values.
  - Results that are  $\geq 80\%$  but  $<100\%$  of these values require RPM approval for release from site.

## **FBP-RP-PRO-00004, *Release of Items and Equipment from DOE Control***

- The Radiological Engineer will obtain DOE Portsmouth/Paducah Project Office (PPPO) concurrence if necessary.
- Obtain PPPO concurrence under the following conditions:
  - For property that was in a radiological area, as defined in 10 CFR 835.2, at any time in its history.
  - At the discretion of the radiological engineer or Radiation Protection Manager (RPM).
  - As otherwise specified by the PPPO.

## **FBP-RP-PRO-00128, Release of Land, Buildings, and Bulk Materials from DOE Control**

- This procedure provides instructions for
  - Certifying that real property and/or volumes of bulk material greater than 30 cubic yards has been radiologically cleared for release from U.S. Department of Energy (DOE) control

# **FBP-RP-PRO-00128, Release of Land, Buildings, and Bulk Materials from DOE Control**

- Under this procedure, a Radiological Engineer will
  - Develop a survey and release plans to implement the release of real property and bulk material from DOE control as directed by Radiation Protection management.
    - a survey and release plan (SRP) is a document used to ensure the adequate characterization of the radiological conditions of designated real property or of bulk material greater than 30 cubic yards.
  - Reviews and evaluates radiological survey data and other appropriate information and records pertaining to property to be released from DOE control for compliance with release limits.

## **FBP-RP-PRO-00128, Release of Land, Buildings, and Bulk Materials from DOE Control**

- Obtain PPPO concurrence under the following conditions:
  - For property that was in a radiological area, as defined in 10 CFR 835.2, at any time in its history or was involved in radiological operations or had radioactive material on or in the property.
  - At the discretion of the radiological engineer or Radiation Protection Manager (RPM).
  - As otherwise specified by the PPPO.

## Survey and Release Plans (SRPs)

- SRPs are designed and implemented consistent with the concepts and terminology with the *Multi-Agency Radiation Survey and Site Investigation Manual (MARSSIM)*.